

# OUTDOOR GARDEN RANGE

2021/2022

# **MORRISON<sup>®</sup>**





## PRODUCT RANGE

Durable, hardworking and well designed, the Morrison family of products offers a great combination of ease of use at an affordable price. Morrison products are known and loved by thousands of users worldwide.

## RELIABLE PERFORMANCE

With international brand engines Briggs & Stratton and AL-KO, a leading power garden equipment brand in Germany. The Briggs & Stratton® engines feature the latest ReadyStart™ and RapidStart™ engines for easy starting. The AL-KO\* branded engine features a cast iron sleeve and a high specification air filtration system, which means better engine protection and performance for a long working life.

\*AL-KO specified engines as used on AL-KO mowers in Europe



### MCS38 PETROL CHAINSAW

553053

DISPLACEMENT	Displacement: 37.2cc
CHAIN BAR SIZE	Chain bar size: 16" (40cm)
CHAIN	Oregon chain
CARBURETOR	Walbro carburettor
FEATURES	<ul style="list-style-type: none"><li>• Clean air intake system</li><li>• Anti-vibration system</li><li>• Chrome lined cylinder</li><li>• Electronic ignition</li><li>• Inertia activated chain brake</li></ul>



### MCS45E PETROL CHAINSAW

553056

DISPLACEMENT	Displacement: 45cc
CHAIN BAR SIZE	Chain bar size: 18" (45cm)
CHAIN	Oregon chain
CARBURETOR	Walbro carburettor
FEATURES	<ul style="list-style-type: none"><li>• Clean air intake system</li><li>• Anti-vibration system</li><li>• Chrome lined cylinder</li><li>• Twin ring piston</li><li>• Easy start system</li><li>• Safety chain brake</li></ul>

# 4 YEAR WARRANTY

Morrison products carry a 4 year consumer warranty. With a wide product range that is durable, hardworking and well-designed, you can trust Morrison. A range of quality spares and accessories are available. Morrison recommends you use Masport/Morrison Oil and accessories - available from your local Morrison agent. Conditions Apply.





## CLASSIC 420

564904

ENGINE	Powered by Briggs & Stratton 125cc OHV Series 300 Primer 4 stroke engine
CHASSIS	420mm (16.5") steel chassis
BLADE SYSTEM	Bar Blade System
HANDLE SYSTEM	<ul style="list-style-type: none"><li>• Comfortable upturned upper handle</li><li>• Two piece lower handle for easy catcher access</li></ul>
WHEELS	Front 150mm (6") and Rear 200mm (8") wheels
CATCHER	Fabric Catcher



## BOXER 2'N1

578752

ENGINE	Powered by AL-KO 159cc OHV IC Auto Choke 4 stroke engine*
CHASSIS	460mm (18") steel chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none"><li>• Comfortable upturned upper handle</li><li>• Reinforced lower handle for added strength</li></ul>
WHEELS	Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher



## TITAN 2'N1

578759

ENGINE	Powered by Briggs & Stratton 150cc OHV Series 625EXi ReadyStart™ 4 stroke engine
CHASSIS	460mm (18") steel chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none"><li>• Comfortable upturned upper handle</li><li>• Reinforced lower handle for added strength</li></ul>
WHEELS	Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher



## TYPHOON UTILITY 460

572821

ENGINE	Powered by Briggs & Stratton 125cc OHV Series 450E Primer 4 stroke engine
CHASSIS	460mm (18") heavy duty steel chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none"><li>• Flat handle</li><li>• Reinforced lower handle for added strength</li></ul>
WHEELS	Front 175mm (7") and Rear 175mm (7") adjustable dual bearing wheels



## SURECUT

565838

ENGINE	Powered by AL-KO 139cc OHV Auto Choke 4 stroke engine*
CHASSIS	460mm (18") steel chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none"><li>• Comfortable upturned upper handle</li><li>• Reinforced lower handle for added strength</li></ul>
WHEELS	Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher



## ROCKET

578754

ENGINE	Powered by Briggs & Stratton 140cc OHV Series 500E RapidStart™ 4 stroke engine
CHASSIS	460mm (18") steel chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none"><li>• Comfortable upturned upper handle</li><li>• Reinforced lower handle for added strength</li></ul>
WHEELS	Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher



## BOXER 2'N1 SELF PROPELLED

565885

ENGINE	Powered by AL-KO 159cc OHV IC Auto Choke 4 stroke engine*
CHASSIS	460mm (18") steel chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none"><li>• Comfortable upturned upper handle</li><li>• Reinforced lower handle for added strength</li></ul>
WHEELS	Front 175mm (7") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher
FEATURES	Self Propelled - Ground speed 4.51km/h

**4 YEAR  
WARRANTY ON  
ALL MORRISON  
PRODUCTS**

Conditions apply



## MAXIMUS

578743	
ENGINE	Powered by AL-KO 159cc OHV IC Auto Choke 4 stroke engine*
CHASSIS	460mm (18") heavy duty aluminium non rust chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none"> <li>Comfortable upturned upper handle</li> <li>Reinforced lower handle for added strength</li> </ul>
WHEELS	Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher



## MAGNUM

578766	
ENGINE	Powered by Briggs & Stratton 150cc OHV Series 625EXi ReadyStart™ 4 stroke engine
CHASSIS	460mm (18") heavy duty aluminium non rust chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none"> <li>Comfortable upturned upper handle</li> <li>Reinforced lower handle for added strength</li> </ul>
WHEELS	Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher

## ELITE

578765	
ENGINE	Powered by Briggs & Stratton 140cc OHV Series 500E RapidStart™ 4 stroke engine
CHASSIS	460mm (18") heavy duty aluminium non rust chassis
BLADE SYSTEM	Unique twin blade system with a swingback feature to protect the crankshaft from damage if the mower should strike a solid object
HANDLE SYSTEM	<ul style="list-style-type: none"> <li>Comfortable upturned upper handle</li> <li>Reinforced lower handle for added strength</li> </ul>
WHEELS	Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
CATCHER	HDPE Plastic Catcher

## ELECTRIC BLOWER VAC

553163	
ENGINE	Powerful 2400 watt motor that delivers 234 km/h of blowing power
BAG	Large capacity 35 litre bag
FEATURES	<ul style="list-style-type: none"> <li>Easy action lever to switch from blower to vac</li> <li>Collected material is automatically shredded reducing waste volumes by up to 90%</li> <li>Carry strap is included for easy manoeuvring</li> </ul>



## PETROL BLOWER VAC - EZI SWITCH

552943	
ENGINE	A robust 30cc two stroke engine
BAG	Large capacity 40 litre bag
FEATURES	<ul style="list-style-type: none"> <li>Portability - freedom from power cords</li> <li>Blow material away or vacuum it up - with EZI Switch it just takes a few seconds to switch between blower or vacuum</li> <li>A clip and zip design is provided for removing and emptying the bag</li> <li>Collected material is automatically shredded reducing waste volumes by up to 90%</li> <li>Carry strap is included for easy manoeuvring</li> </ul>

4 YEAR  
WARRANTY ON  
ALL MORRISON  
PRODUCTS

Conditions apply

\*AL-KO specified engine as used on AL-KO mowers in Europe



## BC230E/B CURVED SHAFT LINE TRIMMER

553153

ENGINE	Full crankshaft 22.5cc engine
CUT WIDTH	410mm (16") cutting width
HANDLE	Loop handle for easy manoeuvrability
SHAFT	Curved alloy split shaft for easy storage
FEATURES	<ul style="list-style-type: none"> <li>• Anti-vibration system</li> <li>• Centrifugal clutch included for operator safety</li> <li>• Flexi steel drive shaft</li> <li>• Bump feed line trimmer head</li> <li>• Soft start system</li> <li>• Fuel container included</li> </ul>



## BC430E S2 STRAIGHT SHAFT BRUSHCUTTER

553080

ENGINE	Semi-pro full crankshaft 42.7cc engine
CUT WIDTH	440mm (17") cutting width
HANDLE	Bullbar handle with integrated controls
SHAFT	Straight long reach alloy shaft
FEATURES	<ul style="list-style-type: none"> <li>• Anti-vibration system</li> <li>• Bump feed line trimmer head and 3 tooth grass blade included</li> <li>• Centrifugal clutch included for operator safety.</li> <li>• Solid steel drive shaft</li> <li>• Dual ring piston</li> <li>• Full harness and fuel container included</li> </ul>



## BC260E SST SPLIT SHAFT LINE TRIMMER

553075

ENGINE	Semi-pro full crankshaft 25.4cc engine
CUT WIDTH	415mm (16") cutting width
HANDLE	Loop handle with safety bar
SHAFT	Alloy 2 piece split shaft
FEATURES	<ul style="list-style-type: none"> <li>• Anti-vibration system</li> <li>• Bump feed line trimmer head and 3 tooth grass blade included</li> <li>• Centrifugal clutch included for operator safety.</li> <li>• Solid steel 2 piece drive shaft</li> <li>• Bump feed line trimmer head</li> <li>• Easy start system</li> <li>• Single point harness and fuel container included</li> <li>• *SST - Split Shaft Technology allows you to convert this single line trimmer into a versatile pole pruner, hedge trimmer, edger or even a garden cultivator. Attachments sold separately.</li> </ul>



## BC - EDGER ATTACHMENT

552793

Used with BC260 SST as an Edger  
• 65mm cutting depth



## BC - HEDGE TRIMMER ATTACHMENT

552922

Used with BC260 SST as a Hedge Trimmer  
• 500mm (20") blade length  
• Double reciprocating blades  
• 720mm shaft length



## BC - GARDEN CULTIVATOR ATTACHMENT

552790

Used with BC260 SST as a Garden Cultivator  
• 300mm (12") tilling width  
• 80mm (3") tilling depth



## BC - 1M POLE EXTENSION

552796

Used to extend the reach of BC260 SST attachments  
• Straight alloy shaft and solid spline steel drive shaft  
• 1 metre extension pole



## BC - POLE PRUNING ATTACHMENT

552792

Used with BC260 SST as a Pole Pruner  
• 250mm (10") bar size

**4 YEAR  
WARRANTY ON  
ALL MORRISON  
PRODUCTS**

Conditions apply





## HEDGE TRIMMER

552837

ENGINE	Semi-pro 25.4cc, lightweight, high performance engine
CUT BAR	600mm (24") cutter bar
CUT DIAMETER	28mm cutting diameter means you can get the job done quickly
FEATURES	<ul style="list-style-type: none"><li>• Precision engine bearings</li><li>• Full crank shaft, 180 degree rotating handle for easy manoeuvring into difficult spaces</li><li>• Includes clutch, safety switch, throttle lock out system</li></ul>



## ELECTRIC EDGER

552558

MOTOR	1200 watt, 240V electric motor
CUT DIAMETER	190mm (7 1/2") cutting diameter
CUT DEPTH	Cutting depth can range from 25mm (1"), 31mm (1 1/4") or 38mm (1 1/2")



## TILLER

550910

ENGINE	Powered by Briggs & Stratton 127cc OHV Series 550 IC horizontal shaft engine
TILLING WIDTH	<ul style="list-style-type: none"><li>• 280mm (11") tilling width (outside tines removed)</li><li>• 430mm (17") tilling width (standard)</li></ul>
FEATURES	<ul style="list-style-type: none"><li>• Easy to manoeuvre due to its counterbalanced design</li><li>• Robust construction</li></ul>



## 2400 ELECTRIC QUIET SHREDDER

552958

MOTOR	Reversible motor for easy waste discharge
BLADE	Boast Morrison's adjustable chopping system that is easy to adjust for improved performance
FEATURES	<ul style="list-style-type: none"><li>• This super quiet auto feed mulcher shredder shreds up to 40mm</li><li>• Safety switches and overload protection</li></ul>





# MORRISON®

## Warranty and Disclaimer Info:

All Morrison products carry a manufacturer's warranty. Please refer to your warranty card supplied with each product for details and conditions for specific models. This brochure supersedes all previous Morrison Outdoor Garden Range brochures. Product specification, colours and prices are subject to change without prior notification. Not all models may be stocked at all stores. Whilst care has been taken in the preparation of this document, Morrison is constantly improving and updating its product range, therefore model specifications may vary and should be checked at time of purchase.

## Masport/Morrison products are covered by the following design registrations:

405399, 407916, 407917, 411355, 411354, 417631, 418171, 407915, 407913, 411353, 414788, 414789, 414790, 414791, 414792, and patents: 330634, 589942/590235, 570911, 605098, 605114.

## Masport Limited New Zealand

PO Box 14 349, Panmure, Auckland 1741, New Zealand

P: 0800 4MORRISON

F: 0508 570 570

E: [sales@morrisonoutdoor.co.nz](mailto:sales@morrisonoutdoor.co.nz)

W: [www.morrisonoutdoor.co.nz](http://www.morrisonoutdoor.co.nz)



@morrisonoutdoor



@morrison\_aunz

The '5 Tick' certification applies specifically to petrol powered rotary lawnmowers within this document.

